

**N00039-16-R-0028 / QUESTION AND ANSWER SET #1**

No.	Question/Issue	Government Response	Will Result In RFP Change? (Amendment)
1	Solicitation, page 6: Does this CLIN 0001 description include only those items / part numbers listed under the top level part number 0205982-033? Or does this description include the mounting kits and other "Space available" kits for one or all classes of submarines as shown on DWG 0205982-039? Please confirm the part numbers required for pricing of CLIN 0001.	Section B Pricing Table B-1 requires the top level part number 0205982-033 be priced, not to include mounting kits. Space available drawings are provided for reference for only and should not be priced.	No
2	It appears that the GFM items include most if not all of the COTS required under p/n 0205982-033. Can the Government confirm that all COTS items for the p/n 0205982-033 will be provided as GFM?	Material noted in the Solicitation, Section H and Section L-8, will be provided as GFM.	No
3	SOW, page 11: After reviewing the ADNS TDP, it appears that the Government is asking offerors to price the procurement and sub-assembly of kits of material. The SOW appears to reference that the scope of work consists of the production of "full systems" of ADNS equipment. Please confirm the complete TDP has been released as production "full systems" are not contained within the currently published TDP (i.e. no enclosures).	The solicitation asks offerors to propose not-to-exceed (NTE) prices in Table B-1 for the ADNS AN/USQ-144K(V)3, which will be applicable to post award Delivery Order(s) (DO) issued for those units. A DO SOW, will accompany the DO(s) ordering the AN/USQ-144K(V)3 units. The SOW included with the solicitation is the base SOW for the contract. The base contract SOW includes references to all potential procurements and production of ADNS systems, kits, and components that are expected during the duration of the contract. Future orders, each with a DO SOW, may be issued for systems referenced in the base SOW and will be priced in the DO based on the DO SOW and system TDP issued at that time. Complete ADNS Surface and Submarine TDPs to facilitate Factor 1 and Price proposals (respectively) are posted to the ADNS FRP Contract Pre Award NESI at <a href="https://nesi.spawar.navy.mil/projects/adns.frp.preawa/">https://nesi.spawar.navy.mil/projects/adns.frp.preawa/</a> .	No
4	Solicitation, page 26: Will the GFM identified be provided for initials orders (i.e. first 12 months), a specified quantity of orders or for the life of the program?	GFM identified in Section H and Section L-8 of this solicitation will be provided as directed by individual delivery order.	No
5	SOW, page 12: Please provide SPAWAR document No. 0226225	SPAWAR document 0226225 is posted to the ADNS FRP Contract Pre Award NESI at <a href="https://nesi.spawar.navy.mil/projects/adns.frp.preawa/">https://nesi.spawar.navy.mil/projects/adns.frp.preawa/</a> under Documents, Export Controlled Documents	No
6	SOW, page 6: Please provide Document Reference ID # 17 (SOW Reference No. 3.3.1, 4.1.1, 4.1.2) ADNS Submarine TDP	The ADNS Submarine TDP is posted to the ADNS FRP Contract Pre Award NESI at <a href="https://nesi.spawar.navy.mil/projects/adns.frp.preawa/">https://nesi.spawar.navy.mil/projects/adns.frp.preawa/</a> under Documents, Export Controlled Documents, ADNS K(V)3 TDP	No

**N00039-16-R-0028 / QUESTION AND ANSWER SET #1**

No.	Question/Issue	Government Response	Will Result In RFP Change? (Amendment)
7	Solicitation, pages 6 and 71: Please revise page 71 Section L, Section 1, Subsection 1.1 to reflect qty four (4) K(V)3 as consistent with the requirements of Section B.;	The requirements in Section L, section 1.1, are separate and distinct from Section L, Volume II Price Proposal. Section L Section 1, subsection 1.1 contains sample delivery requirements for the purposes of submitting a Factor 1 technical approach to production of ADNS AN/USQ-144K(V)2 units. In contrast, Table B-1 is associated with pricing requirements defined in Section L, Volume II Price Proposal for the NTE prices applicable to ADNS AN/USQ-144K(V)3 units to be ordered via DO post award of the MAC.	No
8	Solicitation, pages 14 and 71: Please revise the delivery requirements on page 0006 to be consistent with that of page 71 - One (1) unit eight (8) months from date of order.	Delivery requirements noted in the Solicitation on page 14 are for ADNS AN/USQ-144K(V)3 deliveries (applicable to ADNS AN/USQ-144K(V)3 units to be ordered via DO post award of the MAC). Delivery requirements noted in Section L, Section 1.1 are for ADNS AN/USQ-144K(V)2 deliveries applicable to the sample task, technical proposal. ADNS AN/USQ-144K(V)3 and ADNS AN/USQ-144K(V)2 delivery requirements are different	No
9	Solicitation, pages 66 and 77: Please revise page 77 Volume III, Subsection 2.4.1 to reflect proposal validity date of 12 months.	Page 77 Volume III, Subsection 2.4.1 will be updated to reflect a proposal validity date of 12 months	Yes. Page 77 Volume III, Subsection 2.4.1 will be updated to reflect a proposal validity date of 12 months (Questions 9, 12, and 34 require same RFP change)

**N00039-16-R-0028 / QUESTION AND ANSWER SET #1**

No.	Question/Issue	Government Response	Will Result In RFP Change? (Amendment)
10	<p>Solicitation, page 69, submission of paper proposal copies: Can the Government please clarify the number of paper submissions required (unclear if the "Original" in the shall statement counts toward the "Copies" or not?)</p> <p>Option A:            Volume I: Technical Proposal 2 = (1 Original + 2 Copies = 3 Volume I Binders Total)            Volume II: Price Proposal 2 = (1 Original + 2 Copies = 3 Volume II Binders Total)            Volume III: Contract Documents 1 = (1 Original + 1 Copies = 2 Volume III Binders Total)</p> <p>or</p> <p>Option B:            Volume I: Technical Proposal 2 = (1 Original + 1 Copies = 2 Volume I Binders Total)            Volume II: Price Proposal 2 = (1 Original + 1 Copies = 2 Volume II Binders Total)            Volume III: Contract Documents 1 = (1 Original + 0 Copies = 1 Volume II Binders Total)</p>	<p>Option B. Page 69, Submission of Paper Proposal Copies will be updated to clarify the requirement.</p>	<p>Yes. Page 69, Submission of Paper Proposal Copies will be updated and clarified</p>

**N00039-16-R-0028 / QUESTION AND ANSWER SET #1**

No.	Question/Issue	Government Response	Will Result In RFP Change? (Amendment)
11	<p>Reference: Solicitation Volume II: Price Proposal, Section 1, Page 74. The Government indicates on this page that “The proposed ADNS AN/USQ-144K(V)3 unit prices shall include all ADNS AN/USQ-144K(V)3 Technical Data Package (TDP), basic SOW, Exhibit A CDRL requirement and account for GFP noted in section L Attachment 8, description of ADNS AN/USQ-144K(V)3 Government Furnished Material.” Respondents are being asked to quote AN/USQ-144K(V)3 system(s). It is noted that there are five distinct system configurations that are largely dependent on the submarine class for which the system is designated. Those classes are as follows: SSN688, Virginia, Sea wolf, SSBN/SSGN, Virginia Class (SCN). Referencing the AN/USQ-144K(V)3 architecture drawing number 0205982-039, it is our interpretation that each AN/USQ-144K(V)3 system requires all parts and equipment referenced in AN/USQ-144K(V)3 enclave drawing number 0205982-033 regardless of submarine class. It is also our interpretation that the balance of the drawings provided on the architecture drawing are listed by class and are therefore largely submarine class dependent. Questions:</p> <p>a. What are the part numbers to be quoted for CLIN 0001 ADNS Production Units?</p> <p>b. What are the part numbers to be quoted for CLIN 0002 ADNS Ancillary Kits?</p> <p>c. What are the part numbers to be quoted for CLIN 0003 ADNS Spares?</p>	<p>Solicitation Volume II: Price Proposal, Section 1, Page 74 requests pricing for AN/USQ-144K(V)3. AN/USQ-144K(V)3 enclave drawing 0205982-033 should be used for pricing. Ancillary kits, spares, and submarine class specific parts and or drawings should not be included in pricing.</p>	<p align="center">No</p>
12	<p>Reference: Solicitation Section L.1.3, Proposal Validity Period, Page 66 and Section L.2.4.1, Cover Letter, Page 77. Section L.2.4.1 requires proposal validity for six months while Section L.1.3 indicates that the proposal validity period must be twelve months. Clarification: Please provide clarification concerning the proposal validity period.</p>	<p>Page 77 Volume III, Subsection 2.4.1 will be updated to reflect a proposal validity date of 12 months</p>	<p>Yes. Page 77 Volume III, Subsection 2.4.1 will be updated to reflect a proposal validity date of 12 months (Questions 9, 12, and 34 require same RFP change)</p>
13	<p>Reference: Solicitation Section L.2.1.2, Proposal Format, Page 67. The table on this page indicates the following for the Section 2: Past Performance page limit: “Past Performance Form Attachment L-1 two (2) pages maximum. No page limit for CPARS evaluations (if provided).” Clarification: Please confirm that the page limit for Past Performance Form Attachment L-1 is two pages per contract reference.</p>	<p>The page limit for Attachment L-1 is two pages per contract reference.</p>	<p align="center">No</p>

**N00039-16-R-0028 / QUESTION AND ANSWER SET #1**

No.	Question/Issue	Government Response	Will Result In RFP Change? (Amendment)
14	Reference: Solicitation Section B, Note 1, Page 4. Note 1 says: "For CLINs 0001, 0002, 0003, 0004, 0005 and 0006, the total dollar value shown in the "AMOUNT" column represents the CLIN ceiling amount for this multiple award, indefinite delivery – indefinite quantity (IDIQ), contract and is not a guaranteed amount. Funds will be obligated under individual delivery/task orders placed against the basic contract. For CLIN 0004, the fixed fee amount is to be determined and will be established under individual task orders placed against the basic contract." Question: Is the ceiling amount described in Note 1 shared among all awarded prime contractors or an individual prime contractor awarded ceiling?	Every contract will have the same amount, which represents the Government's estimate of the total overall amount to be procured including all orders.	No
15	Reference: Solicitation. We find no reference to the period of performance beyond the eight-year performance period provided in the Solicitation release verbiage on e-Commerce. Clarification: Please provide the expected period of performance with options periods.	The contract has no options. In accordance with Section I, 252.216-7006 ORDERING (MAY 2011) orders may be placed for up to 8 years from date of award	No
16	Reference: Attachment L-8, Automated Digital Network Systems (ADNS INC III) Description of ADNS AN/USQ-144K(V)3 Government Furnished Material. The attachment lists the router under part number 0205982-745-5 as a Cisco 2951. The BOM under 0205982-033 lists it the same router as a Cisco 2901. Clarification: Please clarify which router is correct.	Section H GFM and Attachment L-8 are incorrect. Description should be read "Cisco 2901".	Yes, Section H GFM and Attachment L-8 will be updated to read 0205982-745-5 as a Cisco 2901
17	Reference: Attachment L-8, Automated Digital Network Systems (ADNS INC III) Description of ADNS AN/USQ-144K(V)3 Government Furnished Material. The Attachment lists Etherswitch P/N HWIC-D-9ESW-POE. We have been unable to locate this part on any of the BOMs provided in the TDP. Clarification: Please provide the drawing number where this part is listed.	The HWIC-D-9ESW-POE is provided as an alternate part for the EHWIC-D-8ESG-P= module on part 0205982-746-9 (Page 23 of drawing 0205982-746).	No
18	Reference: Attachment L-8, Automated Digital Network Systems (ADNS INC III) Description of ADNS AN/USQ-144K(V)3 Government Furnished Material. The attachment indicates that 1U Packet Shaper Blue Coat 1700 P/N PS1700-L010M as 3/EA Per (V)3 unit. The BOM under Drawing Number 0205982-033 lists the quantity as 1. Clarification: Please verify the quantity.	Drawing number 0205982-033 calls for qty (3) 0205982-810-3 assemblies each of which gets a PS1700-L010M (as part of the 0205982-638-2 assembly).	No

**N00039-16-R-0028 / QUESTION AND ANSWER SET #1**

No.	Question/Issue	Government Response	Will Result In RFP Change? (Amendment)
19	Reference: Attachment L-8, Automated Digital Network Systems (ADNS INC III) Description of ADNS AN/USQ-144K(V)3 Government Furnished Material. The attachment indicates that Packet Shaper 1700 Upgrade, Add Compression & Acceleration Module P/N PS1700U-XA as 3/EA Per (V)3 unit. The BOM under Drawing Number 0205982-033 lists the quantity as 1. Clarification: Please verify the quantity.	Drawing number 0205982-033 calls for qty (3) 0205982-810-3 assemblies each of which gets a PS1700-L010M (as part of the 0205982-638-2 assembly). Each of the PS1700-L010M needs a PS1700U-XA license.	No
20	Reference: Attachment L-8, Automated Digital Network Systems (ADNS INC III) Description of ADNS AN/USQ-144K(V)3 Government Furnished Material. The attachment indicates that 2U Packet Shaper Bluecoat 3500 P/N 3500-L045M-1024 as 2/EA Per (V)3 unit. The BOM under Drawing Number 0205982-033 lists the quantity as 1. Clarification: Please verify the quantity.	Drawing number 0205982-033 calls for qty (2) 0205982-800-2 assemblies each of which gets a 3500-L045M-1024 (as part of the 0205982-639-2 assembly).	No
21	Reference: Attachment L-8, Automated Digital Network Systems (ADNS INC III) Description of ADNS AN/USQ-144K(V)3 Government Furnished Material. The attachment indicates that Packet Shaper 3500 Software Upgrade P/N 3500U-XA as 2/EA Per (V)3 unit. The BOM under Drawing Number 0205982-033 lists the quantity as 1. Clarification: Please verify the quantity.	Drawing number 0205982-033 calls for qty (2) 0205982-800-2 assemblies each of which gets a 3500-L045M-1024 (as part of the 0205982-639-2 assembly). Each of the 3500-L045M-1024 needs a 3500U-XA license.	No
22	Reference: Attachment L-8, Automated Digital Network Systems (ADNS INC III) Description of ADNS AN/USQ-144K(V)3 Government Furnished Material. The attachment indicates that the quantity for the Cisco 2951 router P/N 0205982-746-9 is quantity 1 each per (V)3 unit. Drawing 0205892-033 indicates the quantity is 2 each. Quantity 1 Unclass router and quantity 1 TS/SCI/SI/Centrinx router. Clarification: Please verify the quantity.	The TS/SCI/SI/Centrinx router is the 0205982-745-5 assembly. Attachment L-8 is correct.	No
23	Reference: Attachment L-8, Automated Digital Network Systems (ADNS INC III) Description of ADNS AN/USQ-144K(V)3 Government Furnished Material. The attachment indicates that the quantity for the Cisco 2951 router P/N 0205982-745-5 is quantity 4 each per (V)3 unit. Drawing 0205892-033 indicates the quantity is 1 each. Clarification: Please verify the quantity.	Each of the qty (3) 0205982-810-3 and the qty (1) 0205982-750-3 each gets a 0205982-745-5. The total is qty (4).	No

**N00039-16-R-0028 / QUESTION AND ANSWER SET #1**

No.	Question/Issue	Government Response	Will Result In RFP Change? (Amendment)
24	<p>RFP: N00039-16-R-0028 SECTION 1.1 sample delivery order (sub factor 1.1) Page 71 of 111 GFM List, Table B Page 26 of 111</p> <p>Issue: Reference: "The offeror shall provide an Integrated Master Schedule (IMS) for managing this sample delivery order. At a minimum, the IMS shall identify the major program milestones, tasks, interrelationships and dependencies, critical path, integrating kits, routing of cables, obtaining and processing vendors' quotes, quality control checks, system workflow through production line, and test events. The IMS shall also address resource loading to include personnel, tools, space, and power. The IMS shall be limited to 2500 lines and is not included in the maximum page limitations for Factor 1."</p> <p>Clarification: Please clarify if the GFM listed in Table B on page 26 of the RFP should be considered GFM for the IMS sample task, or if it should be considered as procured equipment by the offeror.</p>	<p>GFM identified in Table B-1 on page 26 of the solicitation is applicable to ADNS AN/USQ-144K(V)3. The sample delivery order, and associated IMS, noted on page 71 is applicable to ADNS AN/USQ-144K(V)2. Therefore, GFM noted on page 26 is not applicable to the sample task.</p>	<p align="center">No</p>
25	<p>RFP: N00039-16-R-0028 SECTION 1.1 sample delivery order (sub factor 1.1) Page 71 of 111 Drawing 0235396 Rev A</p> <p>Issue: Reference: "The offeror shall provide a technical proposal for the production of ADNS systems in accordance with the following sample delivery order scenario. After award of the base multiple award contract, the Government issues and awards a single delivery order for the production of five (5) K(V)2 ADNS systems under CLIN 0001, with the following delivery schedule:"</p> <p>The above references K(V)2 ADNS systems, however in drawing 0235396 Rev A as provided in the TDP, it further references the following:</p> <ul style="list-style-type: none"> <li>• AN/USQ-144K(V)2 SP3 (NON SHIP TYPE SPECIFIC)</li> <li>• AN/USQ-144K(V)2 SP3 SHIP TYP SPECIFIC CONFIGURATIONS (CVN, LCC, LHD, LHA, LPD, DDG, CG &amp; LSD)</li> <li>• AN/USQ-144K(V)2 SP3 SCN (NON SHIP TYPE SPECIFIC)</li> </ul> <p>Clarification: Please clarify which specific or multiple ship classes the IMS should address, or if it should only address the "NON SHIP TYPE SPECIFIC" activities.</p>	<p>For SECTION 1.1 sample delivery order (sub factor 1.1) Page 71 of 111 technical proposals, including the IMS, should be based on production of five AN/USQ-144K(V)2 SP3 CVN ship type systems.</p>	<p>Yes, SECTION 1.1 sample delivery order (sub factor 1.1) Page 71 of 111 will be updated to include CVN ship type.</p>

**N00039-16-R-0028 / QUESTION AND ANSWER SET #1**

No.	Question/Issue	Government Response	Will Result In RFP Change? (Amendment)
26	<p>3. RFP: N00039-16-R-0028            Volume II, SECTION 1 Price proposal firm fixed price CLIN 0001 ADNS PRODUCTION UNITS            TABLE 1            Page 74 of 111            Drawing 0205982-039            Issue: Section L, Price Proposal, Tables 1 and 2, describe the system to be priced as "ADNS AN/USQ-144K(V)3". Drawing 0205982-039 Rev A as provided in the TDP references the following:</p> <ul style="list-style-type: none"> <li>• 0205982-033 – AN/USQ-144K(V) 3 ENCLAVE SSN688 / SSBN/SSBN VIRGINIA, SEAWOLF CLASS</li> <li><input type="checkbox"/> *SSN688 CLASS</li> <li><input type="checkbox"/> *VIRGINIA CLASS</li> <li><input type="checkbox"/> *SEAWOLF CLASS</li> <li><input type="checkbox"/> *SSBN/SSGN CLASS</li> <li><input type="checkbox"/> *VIRGINIA CLASS (SCN)</li> </ul> <p>(*all ship classes have MOUNTING KITS, FLLI, MCAP, SCIP-IWF, PLENUM KITS &amp; INSTALLATION KITS)</p> <p>Clarification: Please clarify that the pricing should be for the stand-alone Part Number 0205982-033 at QTY's 1, 2, 3 &amp; 4, that the various ship classes should NOT be included in the pricing, or clarify which class ship(s) should be included in pricing.</p>	<p>Requested pricing is for 0205982-033 and various submarine classes should not be included in pricing.</p>	<p align="center">No</p>
27	<p>RFP: N00039-16-R-0028, Section I, FAR Clause 52.244-2 on page 37 Issue: Contractors that do not have an approved purchasing system do not require consent to subcontract with subcontractors that are fixed price unless they are "the greater of the simplified acquisition threshold or 5% of the total estimated cost of the contract." Contractors with approved purchasing systems must obtain consent to contract for all subcontracts over the simplified acquisition threshold. 5% of the estimated value of the contract is significantly more than the simplified acquisition threshold. Because there will be multiple awards, contractors with approved purchasing systems will have to obtain consent to contract while contractors without an approved purchasing system will not have to obtain consent.</p> <p>Clarification: To level the playing field, please waive the requirement for consent to subcontract for contractors with approved purchasing systems, or increase the value so that it is comparable with contractors without approved purchasing systems.</p>	<p>The Government will not change or waive the terms of FAR 52.244-2. NOTE: Per its terms, the consent requirements of the clause will apply to prime contractors without an approved purchasing system for subcontracts that are cost reimbursable or fixed priced exceeding the simplified acquisition threshold when the Government issues a cost reimbursable task order under the ADNS MAC. Per paragraph (b) of the clause, for firm priced orders (i.e. orders under CLINs 0001, 0002, 0003 and 0006 of the ADNS MAC), consent to subcontract is required only on unpriced contract actions (emphasis added). Finally, if the contractor has an approved purchasing system, consent to subcontract is not required unless a particular subcontractor is listed in paragraph (d) of the clause.</p>	

**N00039-16-R-0028 / QUESTION AND ANSWER SET #1**

No.	Question/Issue	Government Response	Will Result In RFP Change? (Amendment)
28	<p>RFP: N00039-16-R-0028</p> <p>Section L, Price Proposal, section 2.4.6 OCI Disclosure Analysis and Mitigation Plan</p> <p>Issue: The applicability of “presently providing” is unclear with regard to identification of contract efforts related to ADNS.</p> <p>Clarification: Please confirm that offerors should identify and describe contractual efforts that they are presently providing that are related to ADNS, and not a list of contracts related to previous versions of ADNS or expired contracts.</p>	<p>The Government confirms that "presently providing" means current, active contract (not expired contracts).</p>	<p align="center">No</p>
29	<p>RFP: N00039-16-R-0028, SECTION 1.1 sample delivery order (sub factor 1.1), Page 71 of 111, Drawing 0235396 Rev A</p> <p>Issue: Reference: “The offeror shall provide a technical proposal for the production of ADNS systems in accordance with the following sample delivery order scenario. After award of the base multiple award contract, the Government issues and awards a single delivery order for the production of five (5) K(V)2 ADNS systems under CLIN 0001, with the following delivery schedule:”</p> <p>The above references K(V)2 ADNS systems, depicted in drawing 0235396 Rev A as provided in the TDP. The following references on that drawing in reference to AN/USQ-144K(V)2 SP3 (NON SHIP TYPE SPECIFIC) could not be located within the final RFP released TDP:</p> <ul style="list-style-type: none"> <li>• (0205922-460) Rack mtg. kit, dual KG-175D- space available</li> <li>• (0205759-110) Chassis Assembly, KG-175D, 6-Bay A&amp;J Rack Mount</li> <li>• (244-001-143) Transformer, Isolation 60HZ, 3KVA</li> <li>• (0205922-530) 3040 KIV-7 assembly, rack mount, space available</li> <li>• (0205922-320) Timing Distribution Assembly, ADNS SCIP-IWF</li> <li>• (0205818-400) Mtg. kit assembly, CLLI</li> <li>• (0205818-210) Mtg. kit assembly, FLLI- A&amp;J, ADNS, Atlas</li> <li>• (0205705-816) Ship kit, pierside connectivity, installation A</li> <li>• (PMS-616005) Patch panel, EIA-530 data</li> <li>• (PMP-603007) Patch cord, EIA-530 (key B), 8ft</li> <li>• (JPM814A) Patch panel, RJ-45 data</li> <li>• (244-001-143) Transformer, isolation, 60HZ, 3KVA</li> </ul> <p>Clarification: Please clarify where these drawing are located, and if the IMS should address the activities associated with these items.</p>	<p>Identified drawings and parts in Question 29 are not included in the K(V)2 TDP posted to the ADNS FRP Contract Pre Award NESI site. Accordingly, identified drawings and parts in question 30 should not be included in proposal responses to Solicitation, Section L, Section 1.1, Sample Production Delivery Order.</p>	<p align="center">No</p>

**N00039-16-R-0028 / QUESTION AND ANSWER SET #1**

No.	Question/Issue	Government Response	Will Result In RFP Change? (Amendment)
30	L 2.1.2, Proposal Format, Page 67 of 111. Page Count Allocation Applicable to Technical Subfactors of Equivalent Importance: Section M of RFP lists relative importance of factor 1 as the most important of the evaluation factors with all subsections therein being of equal importance. However, page limitations for subsection 1.2, Production capabilities and processes is 10 pages vice 20 pages for subsection 1.1. Would the Government consider increasing the page count for subsection 1.2 to 15 pages in order to allow the offerors sufficient space to elaborate on their production capabilities and processes?	The page limit for Volume I Technical Proposal, Section 1.2, Production Capability and Processes is ten (10) pages maximum per RFP Section L. The Government does not intend to increase the page count.	No
31	L 2.1.2, Proposal Format, Page 68 of 111. Proposal Font Sizes: Font type size for text and spreadsheets is listed as 12 point and 10 point MINIMUM, respectively. However, text size for drawings, graphics, figures, and tables lists Arial 6 point as ACCEPTABLE. Please confirm that font size of 6 point for drawings, graphics and figures is a MINIMUM so that larger font size may be used to increase clarity/readability by the reviewers where feasible.	Font size of 6 point for drawings, graphics and figures is a minimum.	Yes. Page 67: Font size for drawings, graphics and figures changed from "acceptable" to "minimum".
32	H, GFM, Pages 26 - 27 of 111. GFM List of Material: Please confirm that all items listed on pages 26-27 of 111 of the RFP will be provided to the contractor as Government Furnished Material. Historically, some of the Commercial off the Shelf Items have been contractor acquired.	GFM noted in Table B-1 on pages 26-27 of the solicitation will be provided as GFM.	No
33	L 1.3, Proposal Validity Period, Page 66 of 111; L.2.4.1 Cover Letter, Page 77 of 111. Proposal Validity Period: Proposals submitted in response to this RFP shall be valid for no less than 12 months from RFP release from the date and time established for receipt of proposals. Cover Letter: (6) The cover letter shall state that the proposal is valid for 6 months from RFP release months. Please confirm the required proposal validity length.	Page 77 Volume III, Subsection 2.4.1 will be updated to reflect a proposal validity date of 12 months.	Yes. Page 77 Volume III, Subsection 2.4.1 will be updated to reflect a proposal validity date of 12 months (Questions 9, 12, and 34 require same RFP change)
34	What is the function of each piece of equipment in the system?	Please see TDPs posted on the ADNS FRP Contract Pre Award NESI at <a href="https://nesi.spawar.navy.mil/projects/adns.frp.preawa/">https://nesi.spawar.navy.mil/projects/adns.frp.preawa/</a> under Documents, Export Controlled Documents	No
35	How is the equipment interconnected (i.e. port-to-port connectivity)?	Please see TDPs posted on the ADNS FRP Contract Pre Award NESI at <a href="https://nesi.spawar.navy.mil/projects/adns.frp.preawa/">https://nesi.spawar.navy.mil/projects/adns.frp.preawa/</a> under Documents, Export Controlled Documents	No

**N00039-16-R-0028 / QUESTION AND ANSWER SET #1**

No.	Question/Issue	Government Response	Will Result In RFP Change? (Amendment)
36	What cable types and pinouts are required to interconnect the equipment?	Please see TDPs posted on the ADNS FRP Contract Pre Award NESI at <a href="https://nesi.spawar.navy.mil/projects/adns.frp.preawa/">https://nesi.spawar.navy.mil/projects/adns.frp.preawa/</a> under Documents, Export Controlled Documents	No
37	What test procedures need to be conducted for FAT?	Please see SPAWAR drawing number 0226255, which is posted on the ADNS FRP Contract Pre Award NESI at <a href="https://nesi.spawar.navy.mil/projects/adns.frp.preawa/">https://nesi.spawar.navy.mil/projects/adns.frp.preawa/</a> under Documents, Export Controlled Documents	No
38	What is the classification level of the system when configured for FAT?	Unclassified.	No
39	The SOW refers to airborne routing systems and ancillary kits, Please provide clarification on procurement plans for airborne systems.	Procurements for airborne routing systems and ancillary kits will be defined in individual delivery orders.	No
40	Is there any possibility that of an extension being granted?	An extension will not be granted at this time; proposal due date is 20 JUL 2016, 1400 Pacific Time per the RFP Section L.	No